



0.5 L Make-up Solution S35

SECTION 1 - Identification of the substance/mixture and of the company/undertaking

1.1. - Product identifier

Trade name 0.5 L Make-up Solution

Chemical name

Product-type Mixture Product code S35

1.2. - Relevant identified uses of the substance or mixture and uses advised against

1.3. - Details of the supplier of the safety data sheet

Southern Technology Limited

61 Nursery Road

Phillipstown

Christchurch

Phone +643 389 9258 Fax +643 389 2162

Website www.stinks.co.nz

1.4. - Emergency telephone number Poisons Information Centre 0800 764 766

SECTION 2 - Hazards identification

2.1. - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| | |
|------------------|--|
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Eye Irrit. 2 | Eye irritation - Category 2 |
| STOT SE 3 (H336) | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |

2.2. - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: acetone, propan-2-one, propanone (CAS No.: 67-64-1)

Signal word : Danger

Hazard pictograms



Hazard statements

| | |
|------|------------------------------------|
| H225 | Highly flammable liquid and vapour |
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |

Precautionary statements

| | |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P240 | Ground/bond container and receiving equipment. |
| P243 | Take precautionary measures against static discharge. |



0.5 L Make-up Solution S35

| | |
|-------------|--|
| P261 | Avoid breathing dust, fume, gas, mist, vapours, spray . |
| P280 | Wear protective gloves, protective clothing, eye protection, face protection . |
| EUH-phrases | |
| EUH066 | Repeated exposure may cause skin dryness or cracking |

2.3. - Other hazards

SECTION 3 - Composition/information on ingredients

3.1. - Substances

Not applicable

3.2. - Mixtures

| Chemical name | No | % | Class | Spec. concentrations |
|-------------------------------------|---|---------|---|----------------------|
| acetone, propan-2-one, propanone | CAS No. : 67-64-1 Index No. : 606-001-00-8 EC No. : 200-662-2 | 75 - 85 | Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336 | Not applicable |

SECTION 4 - First aid measures

4.1. - Description of first aid measures

Measures in case of inhalation

- Irritating to respiratory system.
- Provide fresh air.
- Get medical advice/attention.

Measures in case of contact with skin

- When in doubt or if symptoms are observed, get medical advice.
- Irritating to skin.
- After contact with skin, wash immediately with plenty of water and soap.
- Remove contaminated, saturated clothing immediately.

Measures in case of contact with eyes

- Irritating to eyes.
- In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Measures in case of ingestion

- Do NOT induce vomiting.
- Vomiting
- Nausea
- Get medical advice/attention.

4.2. - Most important symptoms and effects, both acute and delayed

Symptoms and effects after inhalation

- Irritating to respiratory system.



0.5 L Make-up Solution S35

Symptoms and effects after contact with skin - Causes skin irritation.
- Repeated exposure may cause skin dryness or cracking.

Symptoms and effects after contact with eyes - Irritating to eyes.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Symptoms and effects after ingestion - The following symptoms may occur: Vomiting
- Nausea

4.3. - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5 - Firefighting measures

5.1. - Extinguishing media

Suitable extinguishing media - Carbon dioxide (CO₂)
- Dry extinguishing powder

Unsuitable extinguishing media - High power water jet

5.2. - Special hazards arising from the substance or mixture

Special hazards - Vapours are heavier than air.
- Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode.

Decomposition products - Carbon dioxide (CO₂)
- Carbon monoxide

5.3. - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.
- Move undamaged containers from immediate hazard area if it can be done safely.
- In case of fire and/or explosion do not breathe fumes.

SECTION 6 - Accidental release measures

6.1. - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Use personal protection equipment.
- Provide adequate ventilation.
- Remove all sources of ignition.
- Evacuate area.

For emergency responders - No information available.

6.2. - Environmental precautions



0.5 L Make-up Solution S35

- Do not allow to enter into surface water or drains.
- Absorb spillage to prevent material damage.

6.3. - Methods and material for containment and cleaning up

Appropriate containment techniques

- Soak up inert absorbent and dispose as waste requiring special attention.
- Collect in closed and suitable containers for disposal.
- Collect spillage.

Appropriate clean-up procedures

- Wash with plenty of water.

Inappropriate techniques

- No information available.

6.4. - Reference to other sections

- Disposal: see section 13
- SECTION 6: Accidental release measures

SECTION 7 - Handling and storage

7.1. - Precautions for safe handling

Recommendations

- Avoid: Eye contact
- Avoid: Skin contact
- Provide adequate ventilation.
- Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.
- Keep away from sources of ignition. - No smoking.

Advice on general occupational hygiene

- When using do not eat, drink, smoke, sniff.
- Wash contaminated clothing prior to re-use.
- Wash hands before breaks and after work.

7.2. - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed in a cool, well-ventilated place.

7.3. - Specific end use(s)

- Keep away from sources of ignition. - No smoking.
- Handle and open container with care.

SECTION 8 - Exposure controls/personal protection

8.1. - Control parameters

8.2. - Exposure controls

Appropriate engineering controls

- No information available.



0.5 L Make-up Solution S35

Individual protection measures, such as personal protective equipment

- Suitable eye protection: Eye glasses with side protection



- Protective gloves



- Suitable protective clothing: lab coat



SECTION 9 - Physical and chemical properties

9.1. - Information on basic physical and chemical properties

| Physical state | Liquid | Appearance | Liquid |
|--|-------------|-------------------|----------------|
| Color | transparent | Odor | characteristic |
| Odour threshold | | No data available | |
| pH | | No data available | |
| Melting point | | 78 °C < V < 80 °C | |
| Freezing point | | No data available | |
| Boiling point | | 56 °C | |
| Flash point | | -16 °C | |
| Evaporation rate | | No data available | |
| flammability | | No data available | |
| Lower explosion limit | | No data available | |
| Upper explosion limit | | No data available | |
| Vapour pressure | | No data available | |
| Vapour density | | No data available | |
| Relative density | | 0,8 | |
| Density | | No data available | |
| Solubility (Water) | | poorly soluble | |
| Solubility (Ethanol) | | No data available | |
| Solubility (Acetone) | | No data available | |
| Solubility (Organic solvents) | | No data available | |
| Log Kow - Partition coefficient: n-octanol/water | | No data available | |
| Auto-ignition temperature | | No data available | |
| Decomposition temperature | | No data available | |
| Kinematic viscosity | | No data available | |



0.5 L Make-up Solution S35

| | |
|--------------------------|-------------------|
| Dynamic viscosity | No data available |
| 9.2. - Other information | |
| VOC content | No data available |
| Minimum ignition energy | No data available |
| Conductivity | No data available |

SECTION 10 - Stability and reactivity

10.1. - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2. - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4. - Conditions to avoid

- In case of warming: Ignition hazard

10.5. - Incompatible materials

- No information available.

10.6. - Hazardous decomposition products

- No information available.

SECTION 11 - Toxicological information

11.1. - Information on toxicological effects

Acute toxicity - Not classified

Toxicity values of mixture

| | |
|---------------------------------------|-------------------|
| LD50 oral (rat) | 2737 mg/kg |
| LD50 dermal (rat) | 8200 mg/kg |
| LD50 dermal (rabbit) | 6480 mg/kg |
| LC50 inhalation (rat) | 11700 ppmV |
| LC50 inhalation dusts and mists (rat) | No data available |
| LC50 inhalation vapours (rat) | No data available |

- Based on available data, the classification criteria are not met.

Toxicity values of substances

| | | |
|----------------------------------|---|------------|
| | acetone, propan-2-one, propanone (67-64-1) | |
| | LD50 oral (rat) | 5800 mg/kg |
| | LC50 inhalation (rat) | 50100 ppmV |
| <u>Skin corrosion/irritation</u> | - Not classified | |



0.5 L Make-up Solution S35

| | |
|---|--|
| <u>Serious eye damage/irritation</u> | - Eye irritation - Category 2 - Causes serious eye irritation - Irritating to eyes. |
| <u>Respiratory or skin sensitisation</u> | - Not classified |
| <u>Germ cell mutagenicity</u> | - Not classified |
| <u>Carcinogenicity</u> | - Not classified |
| <u>Reproductive toxicity</u> | - Not classified |
| <u>Specific target organ toxicity - Single exposure</u> | - Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation - May cause drowsiness or dizziness |
| <u>Specific target organ toxicity - Repeated exposure</u> | - Not classified |
| <u>Aspiration hazard</u> | - Not classified |

SECTION 12 - Ecological information

12.1. - Toxicity

Toxicity values of mixture

| | |
|-----------------------------------|-------------------|
| EC50 48 hr crustacea | 70600 mg/l |
| LC50 96 hr fish | No data available |
| ErC50 algae | No data available |
| ErC50 other aquatic plants | No data available |
| NOEC chronic fish | No data available |
| NOEC chronic crustacea | No data available |
| NOEC chronic algae | No data available |
| NOEC chronic other aquatic plants | No data available |

Toxicity values of substances

acetone, propan-2-one, propanone (67-64-1)

| | |
|-----------------|-----------|
| LC50 96 hr fish | 5540 mg/l |
|-----------------|-----------|

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2. - Persistence and degradability



0.5 L Make-up Solution S35

| | |
|---------------------------------|-------------------|
| Biochemical oxygen demand (BOD) | No data available |
| Chemical oxygen demand (COD) | No data available |
| % of biodegradation in 28 days | No data available |

- No information available.

12.3. - Bioaccumulative potential

| | |
|--|-------------------|
| Bioconcentration factor (BCF) | No data available |
| Log Kow - Partition coefficient: n-octanol/water | No data available |

- No indication of bioaccumulation potential.

12.4. - Mobility in soil

- No information available.

12.5. - Results of PBT and vPvB assessment

12.6. - Other adverse effects

- No information available.

SECTION 13 - Disposal considerations

13.1. - Waste treatment methods

Appropriate methods of waste treatment - Dispose of waste according to applicable legislation.

Sewage disposal - No information available.

Special precautions for waste treatment - No information available.

Community or national or regional provisions - No information available.

SECTION 14 - Transport information

14.1. - UN number

UN number (ADR) : UN1210



0.5 L Make-up Solution S35

UN number (RID) : UN1210

UN number (ADN) : UN1210

UN number (IMDG) : UN1210

UN number (IATA) : UN1210

14.2. - UN proper shipping name

UN proper shipping name (ADR) : PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C not more than 110 kPa) 640D

UN proper shipping name (RID) : PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C not more than 110 kPa) 640D

UN proper shipping name (ADN) : PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C not more than 110 kPa) 640D

UN proper shipping name (IMDG) : PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C not more than 110 kPa) 640D

UN proper shipping name (IATA) : PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable (vapour pressure at 50 °C not more than 110 kPa) 640D

14.3. - Transport hazard class(es)



0.5 L Make-up Solution S35

ADR Class : 3
ADR Classification code : F1

Pictograms



Class (RID) : 3

Pictograms



Class (ADN) : 3

Pictograms



Class (IMDG) : 3

Pictograms



Class (IATA) : 3

Pictograms



14.4. - Packing group

Packing group : II

Packing group (RID) : II

Packing group (ADN) : II

Packing group (IMDG) : II

Packing group (IATA) : II

14.5. - Environmental hazards

Environmental hazards : No

Marine pollutant : No

14.6. - Special precautions for user



0.5 L Make-up Solution S35

ADR

| | | |
|---|---|------------------|
| <u>ADR Classification code</u> | : | F1 |
| <u>ADR Special provisions</u> | : | 163+ 640D+367 |
| <u>ADR Limited quantities</u> | : | 5 L |
| <u>ADR Excepted quantities</u> | : | E2 |
| <u>ADR Packing instructions</u> | : | P001 IBC02 R001 |
| <u>ADR Special packing provisions</u> | : | PP1 |
| <u>ADR Mixed packing provisions</u> | : | MP19 |
| <u>Instructions for portable tanks and bulk containers</u> | : | T4 |
| <u>Special provisions for portable tanks and bulk containers</u> | : | TP1 TP8 |
| <u>ADR tank code</u> | : | LGBF |
| <u>ADR tanks special provisions</u> | : | |
| <u>Vehicle for tank carriage</u> | : | FL |
| <u>ADR Transport category</u> | : | 2 |
| <u>ADR Tunnel restriction code</u> | : | D/E |
| <u>ADR Special provisions loading, unloading and handling</u> | : | |
| <u>Special provisions - Packages</u> : <u>Special provisions - Bulk</u> | : | |
| <u>Special provisions - Operation</u> | : | S2, S20 |
| <u>ADR Hazard Identification No.</u> | : | 33 |

RID

| | | |
|----------------------------|---|--|
| <u>Special provisions</u> | : | |
| <u>Limited quantities</u> | : | |
| <u>Excepted quantities</u> | : | |

ADN

| | | |
|----------------------------|---|--|
| <u>Special provisions</u> | : | |
| <u>Limited quantities</u> | : | |
| <u>Excepted quantities</u> | : | |

IMDG

| | | |
|--|---|------|
| <u>Special provisions</u> | : | |
| <u>Limited quantities</u> | : | 5 |
| <u>Excepted quantities</u> | : | E2 |
| <u>Packing instructions</u> | : | P001 |
| <u>Special packing provisions</u> | : | |
| <u>IBC instruction(s)</u> | : | |
| <u>IBC provisions</u> | : | |
| <u>Instructions for portable tanks and bulk containers</u> | : | |
| <u>Special provisions for portable tanks and bulk containers</u> | : | |
| <u>EmS codes</u> | : | |
| <u>Stowage and handling</u> | : | |
| <u>Segregation</u> | : | |
| <u>Properties and observations</u> | : | |

IATA



0.5 L Make-up Solution S35

| | | |
|---|---|------|
| PCA - Excepted quantities | : | E2 |
| PCA - Limited Quantity - Packing Instructions | : | Y341 |
| PCA - Limited Quantity - Maximum Net Quantity per Package | : | 1 |
| PCA - Packing Instructions | : | 353 |
| PCA - Maximum Net Quantity per Package | : | 5 |
| CAO - Packing Instructions | : | 364 |
| CAO - Maximum Net Quantity per Package | : | 60 |
| Special Provisions | : | |
| ERG Code | : | |

14.7. - Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15 - Regulatory information

15.1. - Safety, health and environmental regulations/legislation specific for the substance or mixture

Components in the list of None Reach candidates

Components in Annex XIV None

Components in Annex XVII None

VOC content No data available

15.2. - Chemical safety assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16 - Other information

SDS versions

| Version No. | Date of issue | Description of the amendments |
|-------------|---------------|-------------------------------|
| 1 | 26/01/2018 | |

Texts of the regulatory sentences

| | |
|------------------|--|
| Eye Irrit. 2 | Eye irritation - Category 2 |
| Eye Irrit. 2A | Eye irritation - Category 2A |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| H225 | Highly flammable liquid and vapour |
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |
| STOT SE 3 (H336) | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |

*** **